



CLTC MR (chlortetracycline hydrochloride) Veterinary Feed Directive (VFD)for use in Calves

Client: Busine	ss or Home	Veterinarian: Address:
Addres		
Phone	#: 	
Approxin Location	nate number of <i>calves</i> to be treated: of animals:	
Special i	nstructions and/or other animal identifications:	
Indicati	ion:	
For calv	ves (up to 250lbs) for the treatment of bacteria	l enteritis caused by <i>E. coli</i> susceptible to chlortetracycline.
Drug L	evel in Medicated Feed (Starter or Milk Rep	lacer) and Duration of Use:
Level of Duration	f Drugg/ton (specify level to provi n of Use: days (specify number	de 10 mg/lb BW/day) not to exceed 5 days)
		s only. Not for use in liquid feed supplements. Not estricted drug (California) – use only as directed.
		eterinary feed directive (VFD) drug in a manner other ne labeling (extra-label use) is not permitted.
	slaughter. A withdrawal	At 10 mg/lb use level, withdraw 10 days before period has not been established in preruminating tuse in calves to be processed for veal.
Combin	nation Use:	
	in combination with any other animal drugs.	
	This VFD authorizes the use of the VFD drug combination(s) in medicated feed that contain	g(s) cited in this order in any FDA-approved, conditionally approved, or indexed ins the VFD drug(s) as a component.
VFD Issue Date:		VFD Expiration Date: month/day/year
Veterinarian's Signature:		month/day/year (Not to exceed 6 months from issuance date)
092-287-\	92-287 Approved by FDA /FD-CLV-01 Sept. 21, 2016	Phibro Animal Health Corporation 300 Frank W. Burr Blvd.

Teaneck, NJ 07666